SAFETY DATA SHEET



Issue Date 29-Oct-2019

Revision Date 29-Oct-2019

Version 1

1. IDENTIFICATION

Product identifier Product Name

ST PRIMER XL EPOXY CURING AGENT PART B WINTER

Other means of identification Product Code UN/ID no Synonyms

TQ898XL UN3066 None

Recommended use of the ch	emical and restrictions on use
Recommended Use	Industrial Coatings
Uses advised against	No information available

Details of the supplier of the safety data sheet

Supplier Address HENRY COMPANY 15 Wallsend Dr. Scarborough, ON M1E 3X6 Canada Web Site: www.henry.com www.ca.henry.com Manufacturer Address HENRY COMPANY 999 N. Pacific Coast Hwy., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

Emergency telephone number Company Phone Number Emergency Telephone

800-486-1278 US and Canada only (toll-free) : 3E Company - 1-866-519-4752 (access code 334832) US/Canada, all other countries: 3E Company - +1-760-476-3962 (access code 334832) Mexico (additional contact option): 3E Company - +52 55 41696225 (Code 334832)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Workplace Hazardous Material Information System (WHMIS)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed Causes severe skin burns and eye damage May cause an allergic skin reaction



Physical state liquid

Odor Amine

Precautionary Statements - Prevention

Appearance viscous

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life. May be harmful in contact with skin. May be harmful if inhaled.

Unknown acute toxicity

57% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Name	CAS No	Weight-%
Fatty acids, tall-oil, reaction products with bisphenol A, epichlorohydrin, glycidyl tolyl ether and triethylenetetramine *	186321-96-0	30 - 60
Benzyl alcohol *	100-51-6	10 - 30

TQ898XL - ST PRIMER XL EPOXY CURING AGENT PART B WINTER

38294-64-3	5 - 10
69-72-7	3 - 7
1477-55-0	3 - 7
90-72-2	1 - 5
	69-72-7 1477-55-0

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.	
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Causes skin and eye burns. May result in permanent damage including blindness. May cause allergic skin reaction.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Dry chemical, CO2 or water spray. Dry chemical, CO2, alcohol-resistant foam or water spray. Move containers from fire area if you can do it without risk. Dike fire control water for later disposal; do not scatter the material.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Runoff may pollute waterways.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective	equipment and emergency procedures	
Personal precautions	Use personal protective equipment as required. Stop leak if you can do it without risk. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas.	
Methods and material for containment and cleaning up		
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.	
Methods for cleaning up	Cover liquid spill with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on sete handling	Avoid contact with skin, eves or clothing. Use personal protective equipment as required	

Advice on safe handlingAvoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.
Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

```
Exposure Guidelines
```

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,3-Benzenedimethanamine	S*	-	Ceiling: 0.1 mg/m ³
1477-55-0	Ceiling: 0.1 mg/m ³		
NICOLUDI LI James distate Deve server to Life and Locald			

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

liquid

viscous

vellow

0.99

Values

No information available

Insoluble in water

Not an explosive

Not applicable

> 149 °C / 300 °F 125 °C / 255 °F

Appearance Color Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties Other Information**

Physical state

No information available No information available No information available No information available No information available

Odor Odor threshold Amine No information available

Remarks • Method

Pensky-Martens Closed Cup (PMCC)

Reactivity No data available

Softening point

Molecular weight

VOC Content (%)

Density

Bulk density

Chemical stability

Stable under recommended storage conditions. Possibility of Hazardous Reactions Hazardous polymerization does not occur. Conditions to avoid Incompatible materials. Heat. **Incompatible materials** Strong oxidizing agents. Strong acids. Strong bases.

10. STABILITY AND REACTIVITY

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met. May cause irritation.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	May cause burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Harmful if swallowed. Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
Salicylic acid 69-72-7	= 891 mg/kg (Rat)	> 2 g/kg (Rat)	> 900 mg/m³(Rat)1 h
1,3-Benzenedimethanamine 1477-55-0	= 660 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 700 ppm (Rat)1 h
2,4,6-Tri(dimethylaminomethyl)phen ol 90-72-2	= 1200 mg/kg (Rat)	= 1280 mg/kg (Rat)	-

Information on toxicological effects

Symptoms

May cause an allergic skin reaction. Causes skin burns. May cause redness and tearing of the eyes. May result in permanent damage including blindness. Coughing and/ or wheezing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization in susceptible persons.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Chronic toxicity	May cause adverse liver effects.
Target Organ Effects	Eyes, kidney, liver, Respiratory system, Skin.
Aspiration hazard	Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	1,064.00 mg/kg
ATEmix (dermal)	1,901.00 mg/kg
ATEmix (inhalation-gas)	1,075.00 mg/l
ATEmix (inhalation-dust/mist)	2.30 mg/l
ATEmix (inhalation-vapor)	3,010.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

17 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

TQ898XL - ST PRIMER XL EPOXY CURING AGENT PART B WINTER

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Fatty acids, tall-oil, reaction products with bisphenol A, epichlorohydrin, glycidyl tolyl ether and triethylenetetramine 186321-96-0	-	1.806: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50
Salicylic acid 69-72-7	-	90: 48 h Leuciscus idus mg/L LC50 static	870: 48 h Daphnia magna mg/L EC50 Static 105: 24 h Daphnia magna mg/L EC50

Persistence and degradability No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Benzyl alcohol 100-51-6	1.1
Salicylic acid 69-72-7	0 - 2.26

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u> Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D002

14. TRANSPORT INFORMATION

DOT	
UN/ID no	UN3066
Proper shipping name	Paint
Hazard Class	8
Packing Group	111
Special Provisions	B52, IB3, T4, TP1, TP29
Description	UN3066, Paint, 8, III
Emergency Response Guide	153
Number	
TDG	
UN/ID no	UN3066
Proper shipping name	Paint
Hazard Class	8
Packing Group	111
Description	UN3066, Paint, 8, III

<u>IATA</u>

TQ898XL - ST PRIMER XL EPOXY CURING AGENT PART B WINTER

UN/ID no	UN3066
Proper shipping name	Paint
Hazard Class	8
Packing Group	III
ERG Code	8L
Special Provisions	A3, A72, A803, A192
Description	UN3066, Paint, 8, III
IMDG UN/ID no Proper shipping name Hazard Class Packing Group EmS-No Special Provisions Description	UN3066 Paint 8 III F-A, S-B 163, 223 UN3066, Paint, 8, III

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6	-	X	Х
1,3-Benzenedimethanamine 1477-55-0	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS_	Health hazards 3*	Flammability 1	Physical hazards 0	Personal protection X
Chronic Hazard Star Lege	nd *= Chronic I	Health Hazard		
Issue Date	29-Oct-201	9		
Revision Date	29-Oct-201	9		
Revision Note				
No information available				
Disclaimer				

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet