# SAFETY DATA SHEET



Issue Date 06-Oct-2019 Revision Date 06-Oct-2019 Version 1

#### 1. IDENTIFICATION

Product identifier

Product Name GP TOPCOAT STONE GREY PART A

Other means of identification

Product Code TQ917SG Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Industrial Coatings
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address
HENRY COMPANY
HENRY COMPANY

15 Wallsend Dr. 999 N. Pacific Coast Hwy., Suite 800

Scarborough, ON M1E 3X6 El Segundo, CA 90245-2716

Canada Web Site: www.henry.com www.ca.henry.com

Web Site: www.henry.com www.ca.henry.com

**Emergency telephone number** 

Company Phone Number 800-486-1278

Emergency Telephone US and Canada only (toll-free) : 3E Company - 1-866-519-4752 (access code 334832)

US/Canada, all other countries: 3E Company - +1-760-476-3962 (access code 334832) Mexico (additional contact option): 3E Company - +52 55 41696225 (Code 334832)

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Workplace Hazardous Material Information System (WHMIS)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1

# Label elements

## **Emergency Overview**

#### **Danger**

## **Hazard statements**

Harmful if inhaled

Causes serious eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction



Appearance viscous Physical state liquid **Odor** Aromatic

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection In case of inadequate ventilation wear respiratory protection Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

May be harmful if swallowed. May be harmful in contact with skin. Causes mild skin irritation. Harmful to aquatic life with long lasting effects.

# **Unknown acute toxicity**

78% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## **Substance**

Chemical Name	CAS No	Weight-%
Polyurethane prepolymer *	53880-05-0	60 - 100
Carbon black *	1333-86-4	7 - 13
Propylene carbonate *	108-32-7	3 - 7
Isophorone diisocyanate *	4098-71-9	1 - 5
Titanium dioxide *	13463-67-7	1 - 5

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General advice** 

In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible). If symptoms persist, call a physician.

Eye contact Call a physician immediately. Immediately flush with plenty of water. After initial flushing,

remove any contact lenses and continue flushing for at least 15 minutes. If symptoms

persist, call a physician.

**Skin contact** Wash contaminated clothing before reuse. Wash off immediately with plenty of water. If

symptoms persist, call a physician.

Inhalation Immediate medical attention is required. Move victim to fresh air. Administer oxygen if

breathing is difficult. If breathing is irregular or stopped, administer artificial respiration.

Ingestion Call a physician or poison control center immediately. Do NOT induce vomiting. Drink

plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

allergic skin reaction. May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Use

personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment If possible, turn leaking containers so that gas escapes rather than liquid. Absorb spill with

inert material (e.g. dry sand or earth), then place in a chemical waste container. Transport to well ventilated area and treat with neutralizing solution: mixture of 80% water and 20%

non-ionic surfactant Tergitol TMN-10; or 90% water, 3-8% concentrated ammonia and 2% detergent. Add about 10 parts of neutralizer per part of isocyanate, with mixing. Allow

substance to evaporate.

Methods for cleaning up Do not direct water at spill or source of leak. Decontaminate floor with decontamination

solution letting stand for at least 15 minutes.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in

confined areas. Avoid breathing vapors or mists.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place.

Incompatible materials Water. Alcohols. Strong bases. Strong oxidizing agents. Finely powdered metals.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon black 1333-86-4	TWA: 3 mg/m³ inhalable particulate matter	TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Isophorone diisocyanate 4098-71-9	TWA: 0.005 ppm	-	TWA: 0.005 ppm TWA: 0.045 mg/m³ STEL: 0.02 ppm STEL: 0.180 mg/m³
Titanium dioxide 13463-67-7	TWA: 10 mg/m³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63 ultrafine, including engineered nanoscale

NIOSH IDLH Immediately Dangerous to Life or Health

## **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Aromatic

Physical state liquid
Appearance viscous

Color pigmented Odor threshold No information available

Odor

Remarks • Method

<u>Property</u> Values

pH No information available
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure ~0

Vapor density No information available

Relative density 1.05

Water solubility insoluble Reacts with water Solubility in other solvents No information available No information available

**Dynamic viscosity** >250 mPa s

Explosive properties No information available Oxidizing properties No information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

### 10. STABILITY AND REACTIVITY

## Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization may occur.

## **Conditions to avoid**

Keep from any possible contact with water. Extremes of temperature and direct sunlight. Storage near to reactive materials.

# **Incompatible materials**

Water. Alcohols. Strong bases. Strong oxidizing agents. Finely powdered metals.

#### **Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

## **Product Information**

**Inhalation** May cause irritation of respiratory tract. May cause sensitization by inhalation. Harmful by

\_\_\_\_\_

inhalation.

**Eye contact** Irritating to eyes.

**Skin contact** Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause irritation.

**Ingestion** Based on available data, the classification criteria are not met.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg(Rabbit)	-
Propylene carbonate 108-32-7	= 29000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Isophorone diisocyanate 4098-71-9	= 1097 mg/kg (Rat)	1060 - 4780 mg/kg (Rabbit)	= 0.135 mg/L (Rat) 4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

#### Information on toxicological effects

**Symptoms** May cause an allergic skin reaction. Redness.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization by inhalation. May cause sensitization by skin contact.

Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid. This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is

not relevant for this product since it is not in a respirable form.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black 1333-86-4	A3	Group 2B	-	Х
Titanium dioxide 13463-67-7	-	Group 2B	-	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT - single exposure May cause disorder and damage to the. Respiratory system. Eyes. Skin.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Chronic toxicity Repeated or prolonged exposure may cause central nervous system damage. Repeated or

prolonged contact causes sensitization, asthma and eczemas.

Target Organ Effects Respiratory system, Eyes, Skin, Central nervous system, lungs, Lymphatic System.

Aspiration hazard Based on available data, the classification criteria are not met.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 4,649.00 mg/kg

 ATEmix (dermal)
 2,417.00 mg/kg

 ATEmix (inhalation-dust/mist)
 2.76 mg/l

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

21 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

31 70 OF THE HIMIDIE CONSISTS OF C	omponents(s) or unknown nazarc	as to the aquatic environment	
Chemical Name	Algae/aquatic plants	Fish	Crustacea
Carbon black	-	-	5600: 24 h Daphnia magna mg/L

#### TQ917SG - GP TOPCOAT STONE GREY PART A

1333-86-4			EC50
Propylene carbonate	500: 72 h Desmodesmus	1000: 96 h Cyprinus carpio mg/L	500: 48 h Daphnia magna mg/L
108-32-7	subspicatus mg/L EC50	LC50 semi-static 5300: 96 h	EC50
		Leuciscus idus mg/L LC50 static	
Isophorone diisocyanate	118.7: 72 h Desmodesmus	1.8: 48 h Leuciscus idus mg/L LC50	83.7: 24 h Daphnia magna mg/L
4098-71-9	subspicatus mg/L EC50	static	EC50

#### Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Propylene carbonate	0.48
108-32-7	

#### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

## 14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Isophorone diisocyanate - 4098-71-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes

Chronic Health Hazard

Fire hazard

Sudden release of pressure hazard

No
Reactive Hazard

No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Isophorone diisocyanate	-	500 lb	-
4098-71-9			

#### **US State Regulations**

# California Proposition 65

This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form This product contains titanium dioxide which is classified as an IARC 2B carcinogen based on laboratory studies where animals were exposed to titanium dioxide dust. This is not a relevant route of exposure for this product since it is a moist solid material with little to no chance of producing dust

Chemical Name	California Proposition 65
Carbon black - 1333-86-4	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Carbon black 1333-86-4	Х	X	Х
Isophorone diisocyanate 4098-71-9	Х	X	Х
Titanium dioxide 13463-67-7	Х	X	Х

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical Properties -

<u>HMIS</u> Health hazards  $3^*$  Flammability 1 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

 Issue Date
 06-Oct-2019

 Revision Date
 06-Oct-2019

Revision Note
No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**