



NOTES:

1. DETAIL SHOWS HENRY VEGETATIVE ROOFING WITH **HENRY 790-11/790-11EV** WATERPROOFING/ROOFING ASSEMBLY. SUBSTRATE SHOWN IS FOR REFERENCE ONLY. REFER TO PRODUCT SPECIFIC TECHNICAL DATA SHEET FOR AUTHORIZED SUBSTRATES.
2. DO NOT USE PRE-PRIMED ROOF DECK BOARD. INSTALL ROOF DECK BOARD PER ROOF DECK BOARD MANUFACTURER'S REQUIREMENTS; COMPLY WITH APPLICABLE CODES.
3. DEPTH OF GROWING MEDIA MAY VARY DEPENDING ON PROJECT SPECIFIC REQUIREMENTS.
4. DETAIL IS FOR REFERENCE ONLY. REFER TO DESIGN PROFESSIONAL TO VERIFY WIND UPLIFT MINIMUM REQUIREMENTS.
5. DESIGN PROFESSIONAL TO VERIFY ADEQUATE STRUCTURAL SUPPORTS AND FASTENERS COMPLY WITH APPLICABLE CODES AND PROJECT SPECIFIC REQUIREMENTS.
6. REFER TO THE VEGETATIVE ROOFING GUIDE SPECIFICATION FOR RECOMMENDED INSTALLATION PROCEDURES.

Henry[®]

999 N. Pacific Coast Hwy, Suite 800
El Segundo, CA 90245
800-486-1278 • www.henry.com

MANUFACTURER GUIDE DETAILS ARE FOR REFERENCE ONLY. HENRY DOES NOT ASSUME RESPONSIBILITY FOR ERRORS OR DEVIATIONS IN DESIGN OR ENGINEERING. PROJECT SPECIFIC VERIFICATION IS RECOMMENDED PRIOR TO INSTALLATION.

VEGETATIVE ROOFING - HENRY 790-11/790-11EV

CONSTRUCTION JOINTS

HENRY 790-11 OR HENRY 790-11EV OVER ROOF DECK BOARD WITH SUBSTRATE GAPS UP TO 1/8" WIDE MAX

SCALE: N.T.S.

06-01-2020

VR-790-11-2A