

Name Asphalt Primer



Product ID HE910 Classification 07 26 16.00 Thermal and Moisture Protection (insulation water barrier): Below-Grade Vapor Retarders

Website www.henry.com

Manufacturer Henry Company Address 999 N. Sepuveda Blvd. Suite 800 El Segundo, CA 90245 Contact Name Whitney Randall Title Director, Regulatory Compliance Systems Phone 484-557-1247 Email wrandall@henry.com

Description HE910 - ASPHALT PRIMER is a thin penetrating solution of selected asphalt base in a petroleum solvent. It readily penetrates the pores of the material to which it is applied and seals surfaces to provide a firm bond for asphalt coatings - hot or cold, cutback types.

Release Date 2014-05-28 Expiry Date 2017-05-28 HPD URL https://tool.hpdcollaborative.org/uploads/files/hpds/335/1225-20140528140913.pdf Self-declared Second Party Third Party Certifier Certificate #

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure Full Disclosure of Intentional Ingredients Full Disclosure of Known Hazards Disclosure Notes Yes No Yes No

Contents in Descending Order of Quantity

ASPHALT , STODDARD SOLVENT , 1,2,4-Trimethylbenzene , XYLENE

Hazards Highest concern GreenScreen score - List Translator Benchmark 1 PBT (Persistent Bioaccumulative Toxic) Development Reproductive Endocrine Respiratory Mammal Skin or Eye Aquatic toxicity Land toxicity Physical hazard Global warming Ozone depletion Multiple Unknown

Total VOC Content Material (g/L) Regulatory (g/L) 340.00 Does the product contain exempt VOCs? Are there VOC-free tints available? N/A Yes No N/A Yes No

Notes

Certifications + Compliance

VOC Emissions Not tested VOC Content Not tested

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit [hpdcollaborative.org](http://hpdcollaborative.org).

## CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at [www.hpdcollaborative.org/hazardlists](http://www.hpdcollaborative.org/hazardlists).

**GS:** GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
<b>Hazard A</b>	<b>Warning A</b>					
<b>Hazard B</b>	<b>Warning B</b>					
<b>Hazard C</b>	<b>Warning C</b>					
<b>Hazard D</b>	<b>Warning D</b>					
<b>Hazard E</b>	<b>Warning E</b>					
<b>Notes</b>						
<b>ASPHALT</b>	8052-42-4	50 - 60 %	LT-1	N	N	waterproofing, flexibility
CANCER	NIOSH-C: Occupational carcinogen (also in MAK, IARC, NTP-RoC)					
PBT	WA PBT: PBT					
Asphalt is not heated or melted during use.						
<b>STODDARD SOLVENT</b>	8052-41-3	30 - 40 %	LT-1	N	N	Solvent/Carrier
CANCER	EU CMR (1): Carcinogen Category 2 - Substances which should be regarded as if they are carcinogenic to man (also in EU R-Phrases, EU H-Statements, EU CMR (2))					
GENE MUTATION	EU R-Phrases: R46: May cause heritable genetic damage. (also in EU H-Statements, EU CMR (2))					
MAMMALIAN	EU H-Statements: H304: May be fatal if swallowed and enters airways					
MULTIPLE	VwVwS: Class 2 Hazard to Waters					
Solvent contains does not contain benzene. Therefore, it is not considered to be carcinogenic.						
<b>1,2,4-Trimethylbenzene</b>	95-63-6	R	LT-P1			Contaminant
MAMMALIAN	EU R-Phrases: R20: Harmful by inhalation.					
EYE IRRITATION	EU R-Phrases: R36: Irritating to eyes. (also in EU H-Statements)					
SKIN IRRITATION	EU R-Phrases: R38: Irritating to skin. (also in EU H-Statements)					
ACUTE	EU R-Phrases: R51: Toxic to aquatic organisms.					

AQUATIC	
CHRON AQUATIC	EU H-Statements: H411 - Aquatic Chronic 2 - Toxic to aquatic life with long lasting effects
MULTIPLE	VwVwS: Class 2 Hazard to Waters

<b>XYLENE</b>	1330-20-7	R	LT-P1			Contaminant
ENDOCRINE	TEDX: Potential Endocrine Disruptor					
MAMMALIAN	EU R-Phrases: R21: Harmful in contact with skin.					
SKIN IRRITATION	EU R-Phrases: R38: Irritating to skin. (also in EU H-Statements)					
MULTIPLE	VwVwS: Class 2 Hazard to Waters					

**CERTIFICATIONS AND COMPLIANCE**

**Certifying Party** = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

**Applicable facilities** = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	N/A			
VOC Content	Not tested			
Recycled Content	Not tested			
Other				

---

**ACCESSORY MATERIALS**

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products.

Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
<b>Condition when required or recommended and/or other notes</b>	

---

**NOTES**