Pro-Grade® 161 by Henry Company

CLASSIFICATION: 07 26 16.00

Health Product Declaration v2.0 created via: HPDC Online

Builder

PRODUCT DESCRIPTION: PRO-GRADE 161 ALL WEATHER FLASHING CEMENT IS A MULTI-PURPOSE WET/DRY ROOF CEMENT FORMULATED FOR THE CONTRACTOR THAT CAN'T BE SLOWED BY THE WEATHER. WITH UNMATCHED ADHESION TO BOTH WET AND DRY SURFACES, PRO-GRADE 161 CAN BE APPLIED ON THE VERTICAL AND WILL NOT SAG, SLIP OR MUD-CRACK. THIS ALL-WEATHER APPLICATION FLASHING CEMENT IS BLENDED TO ASSURE MAXIMUM RESISTANCE TO WEATHERING WHILE PROVIDING EASE OF APPLICATION BY TROWEL. IT IS A SOFT, ALL TEMPERATURE, PLIABLE MATERIAL THAT GRADUALLY HARDENS TO A FLEXIBLE, DURABLE AND WATERTIGHT FILM. PRO-GRADE 161 IS FORMULATED WITH GEL TECHNOLOGY TO IMPROVE WORKABILITY AND ENSURE A CLEAN BREAK OUT OF THE BUCKET.

Section 1: Summary

CONTENT INVENTORY

Residuals and
impuritiesCharacterized......Threshold per
materialimpurities
considered inCharacterized.....• 100 ppm1 of 1 materials
• see Section 2:Are the Percent Weight and Role provide
Screened.....• 1,000 ppm• see Section 2:
• See Section 2:Are all substances screened using Priority
disclosed?• Per GHS SDS
• Per OSHA MSDS
• Other• see Section 5:
· General NotesIdentified....
Are all substances disclosed by Name (S

Based on the selected Content Inventory Threshold:

Characterized Are the Percent Weight and Role provided for all substances?	⊙ Yes	O No
Screened Are all substances screened using Priority Hazard Lists with results disclosed?	⊙ Yes	O No
Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	⊙ Yes	O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FLASH 906 [ASPHALT LT-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-UNK | MAM CELLULOSE, MICROCRYSTALLINE UNK ATTAPULGITE LT-1 | CAN AROMATIC NAPHTHA, TYPE 1 LT-1 | CAN | GEN | MAM | MUL LIMESTONE; CALCIUM CARBONATE LT-UNK XYLENES BM-1 | MAM | SKI | END | MUL 1,2,4-TRIMETHYLBENZENE BM-2 | MAM | EYE | SKI | AQU | MUL QUARTZ LT-1 | CAN] Number of Greenscreen BM-

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Regulatory (g/l): 300 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

 Self-Published* VERIFIER:
 Third Party Verified VERIFICATION #: *See HPDC website for details SCREENING DATE: January 19, 2017 RELEASE DATE: January 19, 2017 EXPIRY DATE*: January 19, 2020 * or within 3 months of significant change in product contents This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

ASH 906 entory Threshold: 100 ppm erial Notes:	%: 100.0000 - 100.000 Residuals Considered:			
ASPHALT	ID: 8052-42-4			
%: 40.0000 - 60.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Waterproofing/Flexibilit
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	IARC		Group 2b - Poss	ibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens Occupational Carcinogen			arcinogen
CANCER	МАК	MAK Carcinogen Group 2 - Considered to be carcinogenic for man		
SUBSTANCE NOTES:				
SOLVENT NAPHTHA (F	PETROLEUM), MEDIUM	I ALIPHATIC	ID: 64742	-88-7
%: 20.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Solvent
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	S:
MAMMALIAN	EU - GHS (H-Statements)		H304 - May be fatal if swallowed and enters airways	
ORGAN TOXICANT	EU - GHS (H-Statements)		H372 - Causes damage to organs through prolonged or repeated exposure	
SUBSTANCE NOTES:				
CELLULOSE, MICROCF	CROCRYSTALLINE		ID: 9004-34-6	
%: 5.0000 - 10.0000	GS: UNK	RC: None	NANO: NO	ROLE: Thixotrope
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	5:
None Found	No warnings found on HPD Priority lists			

ATTAPULGITE	ID: 12174-11-7			-11-7		
%: 5.0000 - 10.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Thixotrope		
HAZARDS:		AGENCY(IE	S) WITH WARNINGS	5:		
CANCER	IARC		Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Prop 65 Carci		Carcinogen	arcinogen		
CANCER	МАК			Carcinogen Group 2 - Considered to be carcinogenic for man		
SUBSTANCE NOTES: N	Not present in a respirab	le form				
AROMATIC NAPHTHA,	DMATIC NAPHTHA, TYPE 1 ID: 64742-95-6			-95-6		
%: 1.0000 - 5.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Solvent		
HAZARDS:		AGENCY(IE	S) WITH WARNINGS	S:		
CANCER	EU - R-phrases R45 - May cause cancer		e cancer			
GENE MUTATION	EU - R-phras	EU - R-phrases R46 - May cause heritable gen		e heritable genetic damage		
MAMMALIAN	EU - GHS (H	EU - GHS (H-Statements) H304 - May be fatal airways		atal if swallowed and enters		
GENE MUTATION	EU - GHS (H	EU - GHS (H-Statements)		H340 - May cause genetic defects		
CANCER	EU - GHS (H	EU - GHS (H-Statements)		H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs			Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic t man		
GENE MUTATION	EU - REACH			ory 2 - Substances which should if they are Mutagenic to man		
MULTIPLE	ChemSec - S	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MULTIPLE	German FEA	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
CANCER	EU - Annex V	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinoge based on animal evidence		
GENE MUTATION	EU - Annex V	EU - Annex VI CMRs		Mutagen - Category 1B		
SUBSTANCE NOTES:						

LIMESTONE; CALCIUM CARBONATE		ID: 1317-65-3			
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler	
HAZARDS:		AGENCY	(IES) WITH WARNINGS	:	
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
XYLENES			ID: 1330-2	0-7	
%: Impurity/Residual	GS: BM-1	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:		AGENCY	(IES) WITH WARNINGS	:	
MAMMALIAN	EU - R-phrase	EU - R-phrases R20 - H dust/m		Harmful by Inhalation (gas or vapor or nist)	
MAMMALIAN	EU - R-phrase	EU - R-phrases		R21 - Harmful in Contact with Skin	
SKIN IRRITATION	EU - R-phrase	EU - R-phrases		R38 - Irritating to skin	
SKIN IRRITATION	EU - GHS (H-S	EU - GHS (H-Statements)		H315 - Causes skin irritation	
ENDOCRINE	TEDX - Potent	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MULTIPLE	German FEA -	German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters		to Waters	
SUBSTANCE NOTES:					
1,2,4-TRIMETHYLBENZE	ENE		ID: 95-63-6	5	
%: Impurity/Residual	GS: BM-2	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:		AGENCY	(IES) WITH WARNINGS	:	
MAMMALIAN	EU - R-phrase	EU - R-phrases		R20 - Harmful by Inhalation (gas or vapor or dust/mist)	
EYE IRRITATION	EU - R-phrase	EU - R-phrases		R36 - Irritating to eyes	
SKIN IRRITATION	EU - R-phrase	EU - R-phrases		R38 - Irritating to skin	
ACUTE AQUATIC	EU - R-phrase	EU - R-phrases		R51 - Toxic to Aquatic Organisms	
CHRON AQUATIC	EU - GHS (H-	EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-	EU - GHS (H-Statements)		H315 - Causes skin irritation	
EYE IRRITATION	EU - GHS (H-\$	Statements)	H319 - Causes s	H319 - Causes serious eye irritation	
MULTIPLE	German FEA -	German FEA - Substances Hazardous to Waters Class 2		ass 2 - Hazard to Waters	

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residua	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	US CDC - C	Occupational Carcinogens	Carcinogens Occupational Carcinogen		
CANCER	CA EPA - P	CA EPA - Prop 65 Carcinogen - specific to che exposure route		ecific to chemical form or	
CANCER	IARC		Group 1: Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size occupational setting)		
CANCER	МАК		Carcinogen Group 1 - Substances that cause cancer in man		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd. Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.