

Name Air-Bloc 06WB



Product ID HE06AB Classification 07 26 16.00 Thermal and Moisture Protection (insulation water barrier): Below-Grade Vapor Retarders

Website www.henry.com

Manufacturer Address: Henry Company, 999 N. Sepulvida Blvd., Suite 800, El Segundo, CA 90245
Contact Name: Whitney Randall, Director, Regulatory Compliance Systems
Phone: 484-557-1247
Email: wrandall@henry.com

Description HE06AB - AIR-BLOC 06WB is a single component, cold applied, rubberized asphalt emulsion designed for use as an air and vapor barrier on a wide variety of porous substrates including concrete, CMU, and gypsum sheathing, including Dens-Glass Gold®. It is ideally suited for use on substrates with numerous projections such as masonry brick ties. Blueskin® SA membrane is used in conjunction with HE06AB - AIR-BLOC 06WB

Release Date 2014-09-11 Expiry Date 2017-09-11 HPD URL https://tool.hpdcollaborative.org/uploads/files/hpds/335/1940-20140911185843.pdf
Certification: Self-declared (checked), Second Party, Third Party
Certifier, Certificate #

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure: Measured 100 ppm (ideal), Measured 1000 ppm, Predicted by process chemistry, As per MSDS (1,000 & 10,000 ppm) (checked), Not disclosed, Other
Full Disclosure of Intentional Ingredients: Yes (checked), No
Full Disclosure of Known Hazards: Yes (checked), No
Disclosure Notes

Contents in Descending Order of Quantity ASPHALT , WATER , SULFUR

Hazards: PBT (Persistent Bioaccumulative Toxic) (checked), Cancer (checked), Gene Mutation, Development, Reproductive, Endocrine, Respiratory
Highest concern GreenScreen score - List Translator Benchmark 1: Neurotoxicity, Land toxicity, Multiple, Mammal, Physical hazard, Unknown, Skin or Eye (checked), Global warming, Aquatic toxicity, Ozone depletion

Total VOC Content: Material (g/L) 0.00, Regulatory (g/L) 0.00
Does the product contain exempt VOCs? N/A (checked), Yes, No
Are there VOC-free tints available? N/A (checked), Yes, No

Notes

Certifications + Compliance: VOC Emissions Not tested, VOC Content Not tested

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
ASPHALT	8052-42-4	45 - 55 %	LT-1	N	N	waterproofing, flexibility
CANCER	NIOSH-C: Occupational carcinogen (also in MAK, IARC, NTP-RoC)					
PBT	WA PBT: PBT (also in OSPAR)					
Asphalt is not heated or melted during use.						
WATER	7732-18-5	40 - 50 %	4	N	N	Solvent/Carrier
None found	No warnings found on HPD Priority lists					
SULFUR	7704-34-9	R	LT-U			Contaminant
SKIN IRRITATION	EU R-Phrases: R38: Irritating to skin. (also in EU H-Statements)					
Present in asphalt						

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer’s self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			

VOC Emissions	N/A		
VOC Content	Not tested		
Recycled Content	Not tested		
Other			

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	

NOTES