

Name CM-100

Product ID HE78060

Classification

07 27 26.00 Thermal and Moisture Protection (insulation water barrier): Fluid-Applied Membrane Air Barriers



Website www.henry.com

Manufacturer Henry Company
Address 999 N. Sepulveda Blvd.
Suite 800
El Segundo, CA 90245

Contact Name Whitney Randall
Title Director, Regulatory Compliance Systems
Phone 484-557-1247
Email wrandall@henry.com

Description **Henry CM-100** is a fast curing, one component elastomeric, solvent free, moisture cure waterproofing compound designed to provide a seamless waterproofing membrane or a cold alternative to hot applied rubberized membrane systems It is applied in a high build two-ply system or single ply application, which cures through reaction with airborne moisture to provide a heavy-duty "seamless" rubber-like, impervious membrane

Release Date 2014-05-28
Expiry Date 2017-05-28
HPD URL <https://tool.hpdcollaborative.org/uploads/files/hpds/335/1222-20140528115933.pdf>

- Self-declared
- Second Party
- Third Party

Certifier
Certificate #

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure

- Measured 100 ppm (ideal)
- Measured 1000 ppm
- Predicted by process chemistry
- As per MSDS (1,000 & 10,000 ppm)
- Not disclosed
- Other

Full Disclosure of Intentional Ingredients

Yes No

Full Disclosure of Known Hazards

Yes No

Disclosure Notes

Contents in Descending Order of Quantity

LIMESTONE; CALCIUM CARBONATE , ASPHALT , Sily-terminated polyether , DISTILLATES (PETROLEUM), STEAM-CRACKED, POLYMD.

Hazards

- PBT (Persistent Bioaccumulative Toxic)
- Cancer
- Gene Mutation
- Development
- Reproductive
- Endocrine
- Respiratory

Highest concern GreenScreen score - List Translator Benchmark 1

- Neurotoxicity
- Mammal
- Skin or Eye
- Aquatic toxicity
- Land toxicity
- Physical hazard
- Global warming
- Ozone depletion
- Multiple
- Unknown

Total VOC Content

Material (g/L) 0.00
Regulatory (g/L) 0.00

Does the product contain exempt VOCs?

N/A Yes No

Are there VOC-free tints available?

N/A Yes No

Notes

Certifications + Compliance

VOC Emissions Not tested

VOC Content

Not tested

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
LIMESTONE; CALCIUM CARBONATE	1317-65-3	30 - 50 %	LT-U	N	N	Film strengthener
None found	No warnings found on HPD Priority lists					
ASPHALT	8052-42-4	15 - 25 %	LT-1	N	N	Waterproofing
CANCER	NIOSH-C: Occupational carcinogen (also in MAK, IARC, NTP-RoC)					
PBT	WA PBT: PBT					
This product is not heated during use.						
Silyl-terminated polyether	205265-06-1	15 - 25 %		N	N	Waterproofing polymer
None found	No warnings found on HPD Priority lists					
DISTILLATES (PETROLEUM), STEAM-CRACKED, POLYMD.	68131-77-1	5 - 15 %		N	N	Flexibilizer
None found	No warnings found on HPD Priority lists					

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer’s self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification	Certifier or Laboratory
------	---------------------------	-------------------------

	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	N/A			
VOC Content	Not tested			
Recycled Content	Not tested			
Other				

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products.

Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	

NOTES