

Name Pro-Grade 285 Fast Set Acrylic Elastomeric Coating



Product ID PG285FSW Classification 07 14 16.00 Thermal and Moisture Protection (insulation water barrier): Cold Fluid-Applied Waterproofing

Website www.henry.com

Manufacturer Henry Company Contact Name Whitney Randall
Address 999 N. Sepulveda Blvd. Title Director, Regulatory Compliance Systems
Suite 800 Phone 484-557-1247
El Segundo, CA 90245 Email wrandall@henry.com

Description PRO-GRADE 285 FAST SET ACRYLIC ELASTOMERIC ROOF COATING is a premium, water-based acrylic latex coating. Properly applied, it is highly resistant to disbonding, chalking, mildew, fungi, and discoloration.

Release Date 2016-03-27 Expiry Date 2019-03-27 HPD URL https://builder.hpd-collaborative.org/uploads/files/hpds/335/4235-20160327164926.pdf
Certifier Certicate #
Self-declared
Second Party
Third Party

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure Full Disclosure of Intentional Ingredients Full Disclosure of Known Hazards Disclosure Notes
Measured 100 ppm (ideal)
Measured 1000 ppm
Predicted by process chemistry
As per MSDS (1,000 & 10,000 ppm)
Not disclosed
Other
Yes No
Yes No

Contents in Descending Order of Quantity

Alumina trihydrate , WATER , STYRENE BUTADIENE RUBBER (SBR) , Titanium dioxide , PROPYLENE GLYCOL , ZINC OXIDE

Hazards Highest concern GreenScreen score - List Translator Benchmark 1
PBT (Persistent Bioaccumulative Toxic)
Cancer
Gene Mutation
Development
Reproductive
Endocrine
Respiratory
Neurotoxicity
Mammal
Skin or Eye
Aquatic toxicity
Land toxicity
Physical hazard
Global warming
Ozone depletion
Multiple
Unknown

Total VOC Content Material (g/L) 0.00 Regulatory (g/L) 10.00
Does the product contain exempt VOCs? Are there VOC-free tints available?
N/A Yes No
N/A Yes No

Notes

Certifications + Compliance

VOC Emissions Not tested VOC Content Not tested

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit [hpdcollaborative.org](http://hpdcollaborative.org).

## CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at [www.hpdcollaborative.org/hazardlists](http://www.hpdcollaborative.org/hazardlists).

**GS:** GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
<b>Hazard A</b>	<b>Warning A</b>					
<b>Hazard B</b>	<b>Warning B</b>					
<b>Hazard C</b>	<b>Warning C</b>					
<b>Hazard D</b>	<b>Warning D</b>					
<b>Hazard E</b>	<b>Warning E</b>					
<b>Notes</b>						
<b>Alumina trihydrate</b>	21645-51-2	25 - 35 %	2	N	N	Filler/Film strengthener
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only					
<b>WATER</b>	7732-18-5	25 - 35 %	4	N	N	Solvent/Carrier
None found	No warnings found on HPD Priority lists					
<b>STYRENE BUTADIENE RUBBER (SBR)</b>	9003-55-8	15 - 25 %	LT-U	N	N	Polymer/protective film
None found	No warnings found on HPD Priority lists					
<b>Titanium dioxide</b>	13463-67-7	5 - 10 %	LT-1	N	N	Pigment
CANCER	NIOSH-C: Occupational carcinogen (also in Prop 65, IARC, MAK)					
Titanium dioxide is encapsulated in mixture. Respirable dust is not generated when product is used.						
<b>PROPYLENE GLYCOL</b>	57-55-6	1 - 5 %	LT-U	N	N	Coalescing Agent
None found	No warnings found on HPD Priority lists					
<b>ZINC OXIDE</b>	1314-13-2	1 - 5 %	LT-P1	N	N	Pigment

RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU H-Statements: H400 - Aquatic Acute 1 - Very toxic to aquatic life (also in EU R-Phrases)
CHRON AQUATIC	EU H-Statements: H410 - Aquatic Chronic 1 - Very toxic to aquatic life with long lasting effects
MULTIPLE	VwVwS: Class 2 Hazard to Waters
Chemical is encapsulated in mixture and is not present as a dust.	

**CERTIFICATIONS AND COMPLIANCE**

**Certifying Party** = First: Manufacturer’s self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

**Applicable facilities** = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	N/A			
VOC Content	Not tested			
Recycled Content	Not tested			
Other				

**ACCESSORY MATERIALS**

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products.

Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
<b>Condition when required or recommended and/or other notes</b>	

--

**NOTES**